

Getting Group Info

Request: **GET /group/{group_id}**

Permissions to Run the Request

Account Owner, Account Administrators, Department Administrators, or [custom roles](#).

Request Headers

| Header | Description |
|-------------------------------|---|
| X-Auth-Account-Url (required) | The base URL of the account, e.g. http://myaccount.ispringlearn.com . |
| X-Auth-Email (required) | The login of <i>Account Owner, Account Administrator, Department Administrator</i> , or a user with a role with custom settings. |
| X-Auth-Password (required) | The password of <i>Account Owner, Account Administrator, Department Administrator</i> , or a user with a role with custom settings. |
| Parameter | Description |
| group_id (required) | The ID of a group you would like to get info on. |

Response Codes

| Code | Text | Description |
|------|----------------------|---|
| 200 | Successful operation | The request was successfully processed. The response code contains XML info on the group. |
| 400 | Bad Request | A request error. |
| 401 | Unauthorized | An authorization error. |
| 403 | Permission Denied | The user doesn't have enough permissions to get information on the group. |

Sample Request

```
GET /group/b1496214-acab-11e9-8db0-120a62f268a9 HTTP/1.1
Host: api-learn.ispringlearn.com
X-Auth-Account-Url: http://myaccount.ispringlearn.com
X-Auth-Email: email@email.com
X-Auth-Password: password
```

Sample Response

```
HTTP/1.1 200 Successful operation
Connection: close

<?xml version="1.0" encoding="UTF-8"?>
<response>
  <group>
    <usersCount>1</usersCount>
    <userIds/>
    <groupId>6b2d3e10-e043-11e9-8511-0a580af40b37</groupId>
    <name>New Hires</name>
    <isSmart>0</isSmart>
  </group>
</response>
```