

# Deleting a User

Request: **DELETE /user/{user\_id}**

## Permissions to Run the Request

*Account Owner, Account Administrators, Department Administrators, or [custom roles](#).*

*Department Administrators and users with a custom role can delete users belonging to the departments they manage and their sub-departments.*

## Request Headers

| Parameter                     | Description  |
|-------------------------------|--|
| X-Auth-Account-Url (required) | The base URL of the account, e.g. <a href="https://myaccount.ispringlearn.com">https://myaccount.ispringlearn.com</a>                      |
| X-Auth-Email (required)       | The <b>login</b> of <i>Account Owner, Account Administrator, Department Administrator</i> , or a user with <a href="#">a custom role</a> . |
| X-Auth-Password (required)    | The password of <i>Account Owner, Account Administrator, Department Administrator</i> , or a user with <a href="#">a custom role</a> .     |

## Possible Response Codes

| Code | Text                 | Description   |
|------|----------------------|---|
| 204  | Successful operation | A user is deleted.  |
| 400  | Bad Request          | A request error.  |
| 401  | Unauthorized         | Authorization error.  |
| 403  | Permission Denied    | The user doesn't have enough permissions to delete another users. |

## Sample Request

```
DELETE /user/f29d887c-5cff-11e9-9e6a-0a580af40692 https/1.1
Host: api-learn.ispringlearn.com
X-Auth-Account-Url: https://myaccount.ispringlearn.com
X-Auth-Email: email@email.com
X-Auth-Password: password
```

## Sample Response

```
https/1.1 204 Successful operation
Connection: close
```