

Getting Department Info

AVAILABLE WITH BUSINESS SUBSCRIPTION

Method: **getDepartment**

Permissions to Run the Request

Account Owner, Account Administrators, Department Administrators, Publishers, or [custom roles](#).

Department Administrators, Publishers, and users with a custom role can get info about the departments they manage and their sub-departments.

Parameters

Parameter	Type	Description
token (required)	string	Access token. You can obtain a token by making a request .
departmentId (required)	string	The ID of the department to get information on.

Return Value

Parameter	Type	Description	
department	array	An array containing values like 'departmentId', 'name', 'code', 'parentDepartmentId'.	
departmentId	string	The department ID.	
name	string	The department name.	
code	string	The department code.	
parentDepartmentId	string	The parent department ID.	
subordination (optional)	array	An array with data on the type of department supervisor subordination.	
coSubordination (optional)	array	An array with data on the type of functional manager subordination.	
subordinationType (required)	string	The type of supervisor and functional manager subordination. <ul style="list-style-type: none">• inherit — Inherit from parent department.• manual — Assign manually.• no_supervisor — No supervisor.	
supervisorId (optional)	string	The supervisor and functional manager ID.	Specify the supervisor ID, if subordinationType = manual.
	-		If subordinationType = inherit, no_supervisor, there is no need to specify the supervisor ID.

Sample Call

```
<?xml version="1.0" encoding="utf-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="https://schemas.xmlsoap.org/soap/envelope/" xmlns="https://ispringlearn.com/go/services/api/soap">
    <SOAP-ENV:Body>
        <GetDepartmentRequest>
            <credentials>
                <token>p-1sJDjmULL5DdpXPJTcbm4jVIaWVHvNmrrjAxATRbNE</token>
            </credentials>
            <departmentId>string</departmentId>
        </GetDepartmentRequest>
    </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Sample Response

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="https://schemas.xmlsoap.org/soap/envelope/"  
    xmlns="https://ispringlearn.com/go/services/api/soap">  
    <SOAP-ENV:Body>  
        <GetDepartmentResult>  
            <department>  
                <departmentId>string</departmentId>  
                <name>string</name>  
                <code>string</code>  
                <parentDepartmentId>string</parentDepartmentId>  
            </department>  
        </GetDepartmentResult>  
    </SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```