

Deleting a Group

AVAILABLE WITH BUSINESS SUBSCRIPTION

Method: `removeGroup`

Permissions to Run the Request

Account Owner, Account Administrators, Department Administrators, or [custom roles](#).

Parameters

Parameter	Type	Description
token (required)	string	Access token. You can obtain a token by making a request .
groupId (required)	string	The ID of a group you want to delete.

Return Value

After the request has been successfully processed, the system returns an object with the following properties:

success	bool	True if the group has been deleted.

Possible Errors

Error	Description
Permission denied	The user has no permissions to delete groups.
Wrong parameters	The group with the given ID wasn't found.

Sample Request

```
<?xml version="1.0" encoding="utf-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="https://schemas.xmlsoap.org/soap/envelope/"
  xmlns="https://ispringlearn.com/go/services/api/soap">
  <SOAP-ENV:Body>
    <RemoveGroupRequest>
      <credentials>
        <token>p-1sJDjmULL5DdpXPJTcbm4jVIawVHvNmrjAxATRbNE</token>
      </credentials>
      <groupId>string</groupId>
    </RemoveGroupRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Sample Response

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="https://schemas.xmlsoap.org/soap/envelope/"
  xmlns="https://ispringlearn.com/go/services/api/soap">
  <SOAP-ENV:Body>
    <successResult>
      <success>true</success>
    </successResult>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```